GEISSELE®
AUTOMATICS

2017
PRODUCT CATALOG

FIRE
SAFE

NEW FOR 2017

INTRODUCING THE *SSP* TRIGGER
SUPER SPEED PRECISION

- ***SINGLE STAGE (3.5LB & 4.5LB)***
- ***ULTRA SHORT TRIGGER PULL***
- ***ULTRA SHORT RESET***
- ***LIGHTNING FAST 5MS LOCK TIME***

SEE PAGE 10
FOR MORE INFO AND PRICING

AVAILABLE IN:
M4 CURVE, GEISSELE CURVE AND FLAT BOW OPTIONS

GEISSELE®
AUTOMATICS

TRIGGERS

PERFORMANCE ADVANTAGES FOR THE SHOOTER

Our triggers and hammers are made from quality S7 tool steel. The sear surfaces are cut by a wire EDM machine which makes them very accurate. The non-directional surface finish of the wire EDM gives a smooth trigger pull without the associated grittiness of directional machining marks left by a milling cutter.

The initial force needed to start the disengagement of the sear surfaces is low, and the force linearly increases at a low rate. This helps the shot to fall at the initial point of aim and aids in building shooter confidence in the weapon's ability to put the rounds where your sight is pointing.

A full-force hammer spring is used for quick lock-time and positive ignition of all types of ammo. No lightened hammer spring is used. The hammer is lighter than a standard AR-15 hammer. The lightened hammer favorably decreases lock-time and increases accuracy of the weapon, especially for rapid shot and rapid follow up shots.

ADVANTAGES FOR THE ARMORER

The number of parts to a Geissele non-adjustable trigger is identical to a mil-spec trigger. There are no adjustment screws to come loose. All springs are captive; they will not get lost during disassembly in the field. The entire trigger can be disassembled for cleaning (no rivets or staked parts).The trigger can be installed without removing the safety.

Sear engagement is preset from the factory. Hammer and trigger pins are a close slip fit into nominal receiver holes so the trigger can be installed and removed with rudimentary tools. Triggers come with a slave pin for the trigger/disconnector assembly for easy installation.

SAFETY ADVANTAGES

The two-stage trigger has a generous overlap of the sear surfaces which contributes to safety and a low tendency of any inadvertent movement of the trigger to discharge the weapon. Geissele's non-adjustable triggers offer a patented pseudo-sear that is almost identical to the standard AR-15 single stage sear. However, this secondary sear has surfaces that never touch during normal operation. This prevents the hammer from falling unless the trigger is pulled.

The secondary safety sear contributes to shooter confidence in dynamic/vehicle situations where a fellow shooter's muzzle may cover him. There is firm knowledge that even with the safety in the fire position the weapon can never discharge unless the trigger is pulled. The trigger is designed to operate in dusty and abrasive environments.

SUPER SEMI-AUTOMATIC
SSA® SOPMOD

The Geissele Super Semi-Automatic trigger is a semi-automatic only version of the Geissele Automatics Super Select-Fire trigger. The SSA® is a 4.5 lb. non-adjustable precision combat trigger that allows precise and accurate trigger control. The SSA's two-stage design allows the trigger to be light enough for accurate and precise shots, but heavy and forgiving enough to be safe. The Geissele SSA is safety certified by Crane Naval Surface Warfare Center. It is recommended for demanding applications such as Law Enforcement, Close Quarters Battle (CQB) and mid-range carbine work.

Retail Price / SSA® Variant Options

Super Semi-Automatic (SSA®) SOPMOD	***$240***
Super Dynamic-Combat (SD-C)	***$240***
Super TRICON (Super T)	***$240***

INTENDED APPLICATION

MILITARY

LAW ENFORCEMENT

HUNTING

SOPMOD
CERTIFIED

Super Semi-Automatic
SOPMOD Certified
$240

Super TRICON
$240

Super Dynamic
Combat
$240

SUPER SEMI-AUTOMATIC ENHANCED *SSA-E* SOPMOD

Built on the chassis of the Geissele SSA, the Super Semi-Automatic Enhanced provides enhanced trigger control and weapon accuracy while maintaining the robustness and reliability of our combat-proven two-stage trigger.

The SSA-E's reduced first and second stage pull weights result in a trigger with a smooth, light first stage take-up and a crisp, candy cane-like second stage break. The SSA-E is ideal for use in precision squad designated marksman type rifles where weapon accuracy and reliability are critical and a non-adjustable drop in trigger is desired.

Retail Price / SSA-E Variant Options

*Super Semi-Automatic Enhanced **(SSA-E)***	*$240*
*Super Dynamic-Enhanced **(SD-E)***	*$240*

INTENDED APPLICATION

TARGET

HUNTING

PRECISION

SOPMOD
CERTIFIED

Super Semi-Automatic
Enhanced
SOPMOD Certified
$240

Super Dynamic
Enhanced
$240

SUPER SPEED PRECISION
SSP

The Super Speed Precision (SSP) is Geissele Automatics' first true single-stage trigger for the AR platform. This drop-in trigger has no take up and a super clean break. The reset is short yet still distinct, giving excellent feedback to the shooter during target engagement. Combining these two capabilities provides the shooter with the confidence to take precise shots where accuracy is crucial and the speed for quick follow up hits is essential.

As with all Geissele Automatics products the SSP features superior materials and the most modern manufacturing techniques. The triggers are made of military specification steel alloy for impact toughness, and precision machined with the latest wire EDM technology. All parts are finished in durable corrosion resistant black oxide.

Equally at home on a varmint rig or a starting point of a purpose built 3 Gun rifle, the Geissele SSP is THE fast and accurate single stage trigger.

Retail Price

Super Speed Precision (SSP) M4 Curve	***$240***
Super Speed Precision (SSP) Geissele Curve	***$240***
Super Speed Precision (SSP) Flat Bow	***$240***

INTENDED APPLICATION

TARGET

HUNTING

PRECISION

Super Speed Precision
Geissele Curve
$240

Super Speed Precision
M4 Curve
$240

Super Speed Precision
Flat Bow
$240

SUPER 3 GUN
S3G

The Geissele Super 3 Gun trigger is a semi-automatic-only derivative of the two-stage SSF combat trigger that Geissele Automatics produces for customers in the U.S. Special Operations Community. The S3G was developed to combine the SSF combat trigger's fully automatic performance with its smooth single-stage fully automatic feel to make a fast, smooth, and robust trigger ideal for 3 Gun competition shooting. The S3G pull is very similar to the "National Match Roll Trigger," that is highly desired by 1911 bullseye shooters. The linear pull and abrupt discharge makes for an excellent, fast shooting carbine trigger.

Retail Price / S3G Variant Options

*Super 3 Gun (**S3G**)*	*$240*
*Super Dynamic - 3 Gun (**SD-3G**)*	*$240*

INTENDED APPLICATION

TARGET

SPEED & COMPETITION

Super 3 Gun
$240

Super Dynamic 3 Gun
$240

SUPER SCAR
SOPMOD

The Geissele Super SCAR is built on the combat-proven chassis of the SSA which was safety certified by Crane Naval Surface Warfare Center. The Super SCAR is a 4.5 lb. two-stage, non-adjustable combat trigger trigger which allows precise and accurate trigger control. The Super SCAR is designed to work with the factory FN polymer housing that is supplied with all SCAR16 and SCAR17 rifles.

A Select-Fire version of this trigger is available.
Please contact Geissele for pricing and information.

Retail Price

Super SCAR	***$325***
Select-Fire Version	***CALL***

INTENDED APPLICATION

MILITARY

LAW ENFORCEMENT

HUNTING

PRECISION

SOPMOD
CERTIFIED

Super SCAR
SOPMOD Certified
$325

SUPER SELECT FIRE
SSF® SOPMOD

The Geissele Super Select-Fire Trigger is a select-fire combat trigger that Geissele Automatics developed for the U.S. Special Operations Community. The SSF® is a non-adjustable combat style two-stage trigger that is available in 4.5 lb. and 5.5 lb. configurations. In semi-automatic mode, the SSF is a precision two-stage trigger that allows precise and accurate trigger control. In fully-automatic mode, the SSF is a single-stage trigger with a smooth, continuous trigger pull and abrupt hammer release.

The SSF is safety certified by Crane Naval Surface Warfare Center.
NSN# 1005-01-618-8104 *(M4 Carbine)*

Retail Price

Super Select Fire (SSF®) M4 Carbine	*$400*
Super Select Fire (SSF®) HK416	*$450*
Super Select Fire (SSF®) HK417	*$470*

INTENDED APPLICATION

MILITARY

LAW ENFORCEMENT

SOPMOD
CERTIFIED

Super Select Fire
SOPMOD Certified
$400

SUPER ACR
FOR THE BUSHMASTER ACR

The Geissele Super ACR offers improved Bushmaster ACR weapon system performance with a trigger similar in feel and operation to the Geissele Automatics Super Semi-Automatic trigger. The Super ACR was designed to operate with the Bushmaster Super ACR plastic safety selector. The Super ACR has a total pull weight of approximately 4.5 lbs. with a first stage weight of approximately 2.5 lbs. and a second stage weight of approximately 2.0 lbs. Users must follow all Bushmaster removal and installation instructions when installing the Geissele Automatics Super ACR trigger.

Retail Price

Super ACR	*$240*

INTENDED APPLICATION

MILITARY

LAW ENFORCEMENT

HUNTING

Super ACR
$240

GEISSELE 2 STAGE *G2S*

The Geissele 2 Stage was designed to be a high quality, cost effective alternative to the SSA. The G2S is a 4.5 lb. non-adjustable precision combat two-stage trigger and allows precise and accurate trigger control. The G2S is manufactured from the same tool steel as the SSA. Visually, from the outside of the weapon there is no difference from the SSA and the feel and reliability is the same. The G2S however has a different way of holding the hammer pin in place, and there are no laser markings.

Retail Price

Geissele 2 Stage (G2S)	*$165*

INTENDED APPLICATION

TARGET

HUNTING



Geissele 2 Stage
$165

SUPER SABRA
TRIGGER PACK

The Geissele Super Sabra is an advanced drop in replacement for the OEM IWI Tavor / X95 trigger pack. The Super Sabra's two-stage design allows the trigger to be light enough for accurate and precise shots, but forgiving enough for Close Quarters Battle (CQB). The Geissele Super Sabra also features an adjustable first stage, which will allow the shooter the ability to fine tune the first and second stage weight distribution. The Super Sabra's housing is precision CNC machined from 6061-T6 Aluminum and Type 3 hardcoat anodized for a long lasting and durable finish. Internal components are constructed of shock and wear resistant S7 tool steel and a precision wire EDM process produces razor sharp and polished sear surfaces. A nitride process finish on the internal components gives further abrasion and corrosion resistance to this must have upgrade to the industry leading Tavor and X95 bullpup rifles.

Retail Price

Super Sabra Trigger Pack	*$350*

INTENDED APPLICATION

TARGET HUNTING PRECISION

Super Sabra
Trigger Pack
$350

SUPER SABRA *LIGHTNING BOW®*

The Super Sabra Lightning Bow® Trigger is precision machined from precipitation hardening 17-4 stainless steel and is designed to replace the standard trigger in IWI Tavor and X95 rifles. Once installed, the Sabra Lightning Bow is adjustable via a set screw that removes the “slack” that is inherently found in the trigger mechanism of those rifles. By removing the slack, the trigger pull is instantly transformed into a feel that is much more silimlar to that of an M4 Carbine. Pairing the Sabra Lightning Bow with a Super Sabra Trigger Pack will result in a pull that is truly two stage and has a match grade feel.

Retail Price

Super Sabra Lightning Bow®	*$99*

INTENDED APPLICATION

TARGET

HUNTING

PRECISION

Super Sabra
Lightning Bow
$99

HI-SPEED *NATIONAL MATCH*

The Geissele Hi-Speed Trigger is our premium competition adjustable trigger offering. These adjustable triggers are specially designed for competition, hunting and tactical snipers where the configuration of the trigger pull is essential to mission success. As an adjustable trigger, the first and second stage weight distribution, as well as total pull weight, over-travel, and sear engagement are all tunable to the shooter's preference. It features an industry leading 4ms locktime, balanced hammer for a smoother firing pin strike, full power hammer spring and a forward placed trigger bow. The Hi-Speed can be set up with the included accessory springs for Match, DMR or Service Rifle configurations, and is approved for use in CMP High Power Service Rifle competition.

Retail Price

Hi-Speed National Match	*$279*

INTENDED APPLICATION

TARGET HUNTING PRECISION NATIONAL MATCH

Hi-Speed
National Match
$279

SERVICE RIFLE PULL WEIGHTS

1ST STAGE	*2ND STAGE*	*TOTAL WEIGHT*
3.2 - 5 lbs.	0.5 - 1.5 lbs.	***4.5 lbs. Minimum***

DMR RIFLE PULL WEIGHTS

1ST STAGE	*2ND STAGE*	*TOTAL WEIGHT*
2.5 - 3.6 lbs.	0.5 - 1.5 lbs.	***3.0 - 5.1 lbs.***

MATCH RIFLE PULL WEIGHTS

1ST STAGE	*2ND STAGE*	*TOTAL WEIGHT*
1.5 - 2.5 lbs.	6.0 - 14 oz.	***1.9 - 3.4 lbs.***

OPTIC MOUNTS

WHEN IT MATTERS MOST - USE WHAT THE PROS USE.

A U.S. Special Operations customer asked Geissele to make them an ultra high quality, bomb proof scope mounting system that met their mission critical return to zero requirements. The Geissele Super Precision Series of optic mounts were designed to meet their requirement and become the finest military sniper scope mounts.

Machined from a single 4.5 pound block of aircraft grade 7075 -T6 billet aluminum, the Super Precision Scope Mount is milled down to an ultra light 7.2 ounces. Geissele Super Precision Scope Mounts feature four shear lugs precision machined to the minimum tolerance of the MIL-STD-1913 Picatinny slot so that the optic stays in place from recoil and bolt carrier counter recoil.

The individually serialized scope caps are line bored with the body and created in a single operation, creating the best possible fit to the body of the optic so that the scope caps can be tightened without fear of crushing the body of the optic. The Geissele mounts are locked in place utilizing the classic, battle proven nut and clamp system which provides 1,400 pounds of clamping force per nut. This system provides more clamping force than any inferior lever system ever could.

SUPER PRECISION™
AUTOMATICS

SUPER PRECISION™
OPTIC MOUNTS

The AR-15/M4 Super Precision series of scope mounts are optimized for use with an AR-15/M4 upper. The mounting surface spans 7 picatinny sections and utilizes 4 shear lugs. These mounts use Geissele's update of the classic nut and bolt method for clamping the mount to the picatinny rail, which is the most secure method of attaching your scope to your weapon. Each nut and bolt combination provides 1,400 pounds of clamping force, much more than any lever mounting arrangement.

The Geissele Super Precision Mounts are made from 7075-T6 high strength aluminum. To create a mount with the best possible return to zero, we machine the entire mount from a single piece of billet aluminum. This allows us to add pockets and ribs throughout the mount for added strength and rigidity. It also allows us to line bore the caps to each other and then serialize the caps to the body. The line bore operation creates the best possible fit to the body of your scope so that you can apply proper torque without fear of crushing or damaging the body of your scope. Another advantage of machining from a single piece of aluminum is that we are able to create a mount with cap locations that will suit a wide variety of scopes.

Retail Price

Super Precision Optic Mount, Black (30mm or 34mm)	*$325*
Super Precision Optic Mount, DDC (30mm or 34mm)	*$350*
Super Precision Optic Mount, Black (30mm), 1.93" Height	*$325*
Super Precision Optic Mount, DDC (30mm), 1.93" Height	*$350*



OPTIONS

Sizes

Available in Standard, Extended, or Hyper-Extended lengths

Finish

Available in Black or DDC (Desert Dirt Color)
Both are Type 3 Hard Coat Anodized

SUPER PRECISION™
SOPMOD CERTIFIED

In addition to Geissele's standard line of Super Precision optic mounts, these SOPMOD Certified optic mounts are the same mounts used by US Special Forces. These SOPMOD Certified mounts are also available to the public.

WHEN IT MATTERS MOST, USE WHAT THE PROS USE.

Retail Price

Leupold CQBSS Optic Mount, 34mm For SR-25, Black	*$325*
Leupold CQBSS Optic Mount, 34mm For SR-25, DDC	*$350*
Leupold Mark 6 Optic Mount, 34mm For SR-25, Black	*$325*
Leupold Mark 6 Optic Mount, 34mm For SR-25, Black	*$350*
Vortex 1-6 Optic Mount, 30mm For AR-15, Black	*$325*
Vortex 1-6 Optic Mount, 30mm For AR-15, DDC	*$350*
Schmidt & Bender Optic Mount, 34mm For SR-25, Black	*$325*
Schmidt & Bender Optic Mount, 34mm For SR-25, DDC	*$350*

SOPMOD Certified Optic Mount
For Leupold CQBSS
$325/$350

SOPMOD Certified Optic Mount
For Vortex 1-6
$325/$350

SOPMOD Certified Optic Mount
For Leupold Mark 6
$325/$350

SOPMOD Certified Optic Mount
For Schmidt & Bender
$325/$350

SUPER PRECISION™
T1 SERIES

The Super Precision T1 Series was developed specifically to work with the Aimpoint T1 and similarly mounted red dot optics. These mounts are precision machined from a single piece of 7075-T6 high strength aluminum and are available in absolute, lower third co-witness and 1.93" height options.

Utilizing Geissele's update of the classic nut and bolt method, this mount will attach your red dot to your weapon with 1,400 pounds of clamping force, and features 3 shear lugs for maximum rigidity and return to zero.

Retail Price

T1 Optic Mount, Absolute Co-Witness, Black	*$99*
T1 Optic Mount, Absolute Co-Witness DDC	*$124*
T1 Optic Mount, Lower 1/3 Co-Witness, Black	*$99*
T1 Optic Mount, Lower 1/3 Co-Witness, DDC	*$124*
T1 Optic Mount, 1.93" Height, Black	*$99*
T1 Optic Mount, 1.93" Height, DDC	*$124*

1.93" Height

OPTIONS

Height

Available in Absolute Co-Witness, Lower 1/3 and 1.93" Height

Finish

Available in Black or DDC (Desert Dirt Color)
All are Type 3 Hard Coat Anodized

SUPER PRECISION™
MRO SERIES

The Super Precision MRO Series was developed specifically to work with the Trijicon MRO and like mounted red dot optics. These mounts are precision machined from a single piece of 7075-T6 high strength aluminum and are available in absolute, lower third co-witness and 1.93" height options.

Utilizing Geissele's update of the classic nut and bolt method, this mount will attach your red dot to your weapon with 1,400 pounds of clamping force, and features 3 shear lugs for maximum rigidity and return to zero.

Retail Price

MRO Optic Mount, Absolute Co-Witness, Black	*$99*
MRO Optic Mount, Absolute Co-Witness DDC	*$124*
MRO Optic Mount, Lower 1/3 Co-Witness, Black	*$99*
MRO Optic Mount, Lower 1/3 Co-Witness, DDC	*$124*
MRO Optic Mount, 1.93" Height, Black	*$99*
MRO Optic Mount, 1.93" Height, DDC	*$124*

1.93" Height

OPTIONS

Height

Available in Absolute Co-Witness, Lower 1/3 and 1.93" Height

Finish

Available in Black or DDC (Desert Dirt Color)
All are Type 3 Hard Coat Anodized

SUPER PRECISION™
ACOG SERIES

The Super Precision ACOG Series was developed specifically to work with the Trijicon 4x power ACOG series of optics. These mounts are precision machined from a single piece of 7075-T6 high strength aluminum.

They are available in black type 3 hard coat anodize as well as our proprietary DDC (Desert Dirt Color) type 3 hard coat anodize. Utilizing Geissele's update of the classic nut and bolt method, this mount will attach your ACOG to your weapon with 2,800 pounds of clamping force, and features 4 shear lugs for maximum rigidity and return to zero.

Retail Price

ACOG Optic Mount, Black	*$125*
ACOG Optic Mount, DDC	*$150*

OPTIONS

Finish

Available in Black or DDC (Desert Dirt Color)
Both are Type 3 Hard Coat Anodized

SUPER MODULAR RAILS

Each Super Modular Rail (SMR) adheres to a strict set of design guidelines that we have learned over the years of manufacturing superior battle proven rail systems. Each SMR is designed to be ergonomic, modular and flexible. The SMR must be comfortable for the shooter, it is vital that the interface between shooter and the rail system feels natural. This level of comfort promotes confidence and frees the shooters mind of worry when faced with hitting a target. The rail set up must be able to be customizable by the shooter for the same reason. The shooter must be able to place accessories, optics, grips, lights, lasers and anything else needed operationally in which ever location the shooter desires.

While meeting the needs of the most demanding shooters, the SMR must also be strong, ridid, light weight and free floating . To do this we utilize a large 2 ¼" barrel nut made from 7075-T6 aircraft grade aluminum. This is the solid platform by which the rail will interface with the upper receiver. The length of the proprietary Geissele barrel nut design promotes extreme stiffness and will aid in minimizing bore and rail deflection as much as possible. This also allows the system to be easily removed and reinstalled for maintenance and cleaning while maintaining its zero of the attached accessories. The rail itself is machined from 6061-T6 aircraft grade aluminum. Every inch of the SMR is touched with a tool, and is machined complete from a single piece of material. There is no glued together or screwed together parts. The SMR has an excellent performance to weight ratio. Balance is as important as weight and the center of gravity of the rail is biased toward the receiver for good weapon handling characteristics.

Most Geissele SMR's also feature Magpul's® M-LOK™ attachment technology. The M-LOK interface creates a very strong platform by which accessories may be attached to the SMR. M-LOK stands for Modular Lock system. The M-LOK system retains an elongated slot appearance, similar to MOE slots (with different dimensions). The new slot is larger, has squared sides, and the new system adds the following feature set; direct mount capability, cammed steel t-nut design, recoil/impact mitigation sheer lugs, intermediate spacing option, multi-directional mounting, and backwards MOE compatibility.

SUPER MODULAR RAIL
MK4 M-LOK™

The Super Modular Rail (SMR) MK4 M-LOK™ is Geissele's ultra-combat M-LOK option. These rails are purpose-built and feature integrated M1913 picatinny rail sections at the fore end of the rail in the 3, 6 and 9 o'clock positions. Maximum venting for heat dissipation also dramatically reduces the rail's overall weight, while maintaining its same strong and rigid platform.

Utilizing Magpul's M-LOK technology at the 3, 6, and 9 o'clock positions, as well as the upper 45° quadrants, the SMR MK4 is both versatile and modular, allowing the user to tailor their platform to his or her unique needs.

The SMR MK4 also features Geissele's proprietary 2¼" long barrel nut. This increases the surface contact where the rail interfaces with the receiver and creates a platform that can be trusted to be straight and true the entire length of the free float rail. This increases accuracy and zero repeatability during disassembly and reassembly when performing maintenance.

Retail Price

7" MK4 SMR, Black	*$225*	*7" MK4 SMR, DDC*	*$250*
9.5" MK4 SMR, Black	*$250*	*9.5" MK4 SMR, DDC*	*$275*
13" MK4 SMR, Black	*$275*	*13" MK4 SMR, DDC*	*$300*
15" MK4 SMR, Black	*$300*	*15" MK4 SMR, DDC*	*$325*

PACKAGE CONTENTS

Stainless Steel Gas Block ($59 Value); Barrel Nut; Barrel Nut Wrench; Barrel Nut Bolts; Hex Keys

SUPER MODULAR RAIL
MK8 M-LOK™

The Super Modular Rail (SMR) MK8 M-LOK™ is Geissele's ultra-modular model. The SMR MK8 is one of the first rails available to utilize the Magpul M-LOK technology. These rails are designed to give the user full modularity while maintaining a strong and rigid platform. Maximum venting at the lower 45° quadrants create maximum heat dissipation and also dramatically reduces the rail's overall weight.

Utilizing Magpul's M-LOK technology at the 3, 6, and 9 o'clock positions, as well as the upper 45° quadrants, the SMR MK8 is both versatile and modular, allowing the user to tailor their platform to his or her unique needs.

The SMR MK8 also features Geissele's proprietary 2¼" long barrel nut. This increases the surface contact where the rail interfaces with the receiver and creates a platform that can be trusted to be straight and true the entire length of the free float rail. This increases accuracy and zero repeatability during disassembly and reassembly when performing maintenance.

Retail Price

7" MK8 SMR, Black	*$225*	*7" MK8 SMR, DDC*	*$250*
9.5" MK8 SMR, Black	*$250*	*9.5" MK8 SMR, DDC*	*$275*
13" MK8 SMR, Black	*$275*	*13" MK8 SMR, DDC*	*$300*
15" MK8 SMR, Black	*$300*	*15" MK8 SMR, DDC*	*$325*

PACKAGE CONTENTS

Stainless Steel Gas Block ($59 Value); Barrel Nut; Barrel Nut Wrench; Barrel Nut Bolts; Hex Keys

SUPER MODULAR RAIL
MK7 NATIONAL MATCH

The Super Modular Rail MK7 is the first CMP-legal rail system that was designed specifically for National Match High Power Competition. The MK7 features a full quad rail, with the sling loop in its appropriate legal location for competition. The sling loop is attached to a steel bar which is fastened directly to the rail using screws to increase weight. Along with the rail system, lead weight bars can be purchased separately and fastened in the 3 and 9 o'clock positions to add weight as needed to balance the rifle per the shooter's preference.

The weights and sling bar can also be modified per the user to have any undesired excess weight trimmed off and reinstalled. The rail system is completely free floating and is mounted to the weapon platform via Geissele's rock solid 2 ¼" barrel nut design.

Retail Price

12.7" MK7 SMR, Black	*$375*
12.7" MK7 SMR, DDC	*$400*
Lead Side Weights	*$25 each*

Lead Weights
(Sold Separately)

PACKAGE CONTENTS



Barrel Nut, Barrel Nut Wrench, Barrel Nut Bolts, Sling, Sling Screws, Hex Keys

TOOLS & ACCESSORIES

Geissele prides itself on not just being a premier manufacturer of weapon components, but also a premier manufacturer of accessories and armorer's tools. Each one of our tools was developed and manufactured for a specific purpose driven from challenges encountered in daily life when routinely working on your AR-15. We are always looking for new ways to increase ease and efficiency when building a new rifle, performing maintenance on or cleaning an existing rifle, or simply installing that new product that will enhance your weapon's capability. Our goal is to provide top quality tools and accessories to everyone from the weekend warrior to the everyday armorer so that you can spend more time behind the trigger than behind the work bench.

GEISSELE
AUTOMATICS
SUPER CHARGING HANDLE

SUPER CHARGING HANDLE

The Super Charging Handle (SCH) is 3-D machined from a solid block of aircraft grade 7075-T6 aluminum. Its ambidextrous design allows for seamless operation from either side of the weapon. The levers are dual contoured similar to that of the charging handle of an M14, where not only the x-axis but also the y-axis receive radius cuts.

The handling surface of the lever is also checkered adding a textured grip to aid in use when operating with gloves. The heightened rear lip of the SCH helps in mitigating gas blow back to the shooter when shooting with short barreled and suppressed weapon systems.

All parts are Type 3 Hardcoat anodized and are available in Black and DDC (Desert Dirt Color).

Retail Price

5.56 SCH, Black	*$89*	*5.56 SCH, DDC*	*$99*
7.62 SCH, Black	*$125*	*7.62 SCH, DDC*	*$135*

SUPER GAS BLOCK

The Geissele Super Gas Block (SGB) is a low profile gas block designed to fit under most free float rails.

It has the following features:

- Precision investment cast from 17-4 Precipitation Hardening Stainless Steel.
- Corrosion resistant to withstand corrosive powder residue
- Lightweight at 1.6 oz.
- The .750” diameter bore is precisely machined for a close slip fit onto the barrel.
- Set screws are used to secure the SGB to the rifle barrel. Additionally, the SGB is pre-drilled for a 3/16” spiral coil pin so the SGB can be secured in a fool proof manner to the rifle barrel.

Retail Price

Stainless Steel	***$59***
Nitride	***$69***

GAS BLOCK ROLL PIN TOOL

This tool is designed to securely hold a 0.078” diameter roll pin to start the pin installation in a gas block. The hole in the tip of the tool is sized so that the roll pin will need to be pressed into the tool first (the roll pin will not just slide in). Stand the roll pin on a hard surface and tap the tool onto the pin to seat it in the tool. When the hole in the gas block grabs the roll pin, the pin will collapse enough so the tool can be removed from the roll pin. All that is needed then is a tap with a punch to seat the roll pin in the gas block.

Retail Price

Roll Pin Tool	*$12.50*

GAS BLOCK PIN PUNCH KIT

The Geissele Gas Block Pin Punches are specially made for removing and installing the 0.078" roll pin that secures the gas tube to the gas block on an M4 Carbine/AR10.The removal of a rusted-in gas block roll pin has always been a challenge since there are no commercial pin punches in 0.078" diameter. 1/16" (0.062") punches have a tendency to bend and very few starter punches are available in 1/16" diameter.

The Geissele punches make gas block work a whole lot easier. The first punch to use when removing the roll pin is the Starter Punch. This is the punch with the long tapered end. The long taper is much more resistant to bending and buckling than the straight shank of the Pin Punch. Use the Starter punch to just get the roll pin moving. Then use the Pin punch to drive the roll pin fully out. The Geissele Gas Block punches are made from properly hardened and tempered O1 tool steel.

Retail Price

Pin Punch Kit	*$25*

TRIGGER FITTING PIN

The Geissele Trigger Fitting Pin is a tool designed to help with small pin hammer and trigger installations. The tool is sized to match the size of the pins and may be slipped into the receiver to act as a slave pin to help ease the installation of the new pins supplied with every Geissele AR-15 trigger.

Retail Price

Trigger Fitting Pin	*$15*

SUPER 42 BRAIDED WIRE BUFFER SPRING AND BUFFER COMBO

The Geissele Super 42 Spring was designed to improve the function and reliability of your AR-15 pattern rifle. Its unique spring design uses three independent strands of wire, just like the German MG42 Machine Gun. This concept acts as a harmonic damper and energy absorber by allowing the springs to flex separately from each other. This flex helps displace excess energy which decreases the chance of spring failure and assists with making your AR-15 more reliable.

Compared to the stock spring, The Geissele Super 42 Spring has a decreased tendency to lose length and force over a given round count. As an added bonus, it removes the annoying spring reverberations (twang) heard and felt by the shooter through the buttstock. The Super 42 Spring has a 15% stronger average return force than the standard buffer spring. This will assist in stripping rounds out of the magazine when operating with a dirty weapon or when using steel-case ammo.



Retail Price

Buffer Spring and Buffer Combo	*$65*
Tungsten Buffer Weight	*$20 each*

REACTION ROD

The Geissele Reaction Rod is a tool that securely holds an upper receiver assembly for maintenance and assembly work. It will make working on an AR15/M4 or AR10/SR25 a dream. The removal and installation of barrels, flash hiders, gas blocks and hand guards is made much easier. The Reaction Rod is designed to be gripped in a bench vise so that the rod is either horizontal or vertical. The upper receiver is then slid onto the rod and the rod's integral splines enter the barrel extension and secure the barrel extension from turning. This allows all of the torque from barrel nut wrenches to go directly into the barrel extension. In contrast, receiver vise blocks transmit the turning force into the aluminum receiver, a good part of which passes through the small, easily distorted receiver index pin. With the Geissele Reaction Rod, marring of an upper receiver's finish by gripping and twisting inside vise blocks is eliminated and so is the need to remove sights and mounts from the receiver's M1913 rail.

The Geissele Reaction Rods are machined at our manufacturing facility in North Wales, Pennsylvania. The rod is cut from a solid bar of 4140 Chrome Moly steel, properly quenched, tempered and ground to an exact diameter that is smooth and straight so the rod will enter an upper receiver without wobble.

Retail Price

AR-15/M4 Reaction Rod	*$99*
AR-10/SR-25 Reaction Rod	*$199*

SUPER REACTION ROD

The Super Reaction Rod was designed with the advanced armorer in mind, an armorer who frequently works on AR15/M4 platforms with over torqued, seized or Loctited barrel nuts. The Super Reaction Rod works by pre-loading the barrel nut extension to the lugs of the Super Reaction Rod to eliminate any movement before adding torque to the barrel nut, while at the same time fixing the upper receiver into place. Having the barrel nut extension mated to the Super Reaction Rod lugs and fixing the upper receiver before torqueing will remove any potential stress that could be placed on the index pin. This allows the armorer to place tremendous torque on the barrel nut. The Super Reaction Rod's pre-loading system can also be removed to allow it to work just like a standard Reaction Rod, which allows upper work to be performed in 360° both vertically, and horizontally.

Retail Price

AR-15/M4 Super Reaction Rod	*$175*

REACTION BLOCK

The Geissele Reaction Block is designed to aid in the assembly of lower receivers. Once the armorer has installed the buffer tube, the lower receiver can then be slid into the Reaction Block at the 12, 3, 6 and 9 o'clock positions. The block allows the armorer to rotate the lower in 90° increments simply by loosening the provided nylon screws, removing the lower and sliding it back in at its desired orientation. The Reaction Block provides an ultra-stable platform for performing an array of lower receiver operations, as well as making the installation of the buffer retainer nut quick and easy. All while keeping both hands of the armorer free to work, saving both time and frustration.

Retail Price

Reaction Block	*$99*

SUPPRESSOR ALIGNMENT GAGE

The Geissele Suppressor Alignment Gage (SAG) is a precision gage used to verify the alignment of a suppressor to the bore of a firearm barrel.

It is important to understand that the length of the suppressor is usually much longer than the length of the barrel / muzzle device / suppressor interface geometry. A small deviation at the mounting interface means a much larger deviation of the suppressor exit hole. The deviations from nominal can also be additive which compounds suppressor misalignment. The Geissele SAG is manufactured from hardened steel that has been ground 0.002" under nominal bore diameter. The outside diameter of the SAG is finely finished and straight to 0.001" over its length. Geissele hardens the SAR so that it will not wear by sliding exposure to abrasive powder residue, pull burrs if it slides against misaligned baffles, nor allow abrasive particles to imbed into the surface of the gage. There can be a wide variation in barrel bore diameters and bore straightness. 0.002" under nominal bore diameter has been found to be the best size of the SAG that will fit most barrels. The long length of the SAG aligns the gage to the bore; it is not necessary to have a very tight fitting gage with the long length of the Geissele SAG.

Retail Price

15" 5.56mm Suppressor Alignment Gage	*$75*
17" 7.62mm Suppressor Alignment Gage	*$75*



NOTES

NOTES

SHERIFF



For God & Country

GEISSELE AUTOMATICS, INC. • North Wales, PA 19454 • 610.272.2060 • *geissele.com*